




APPLICATIONS

OFFER DIFFERENTIATION



FACILITIES

OFFER DIFFERENTIATION

	entry	nortech	 Plus	frame
COLD CYCLES				
HOT CYCLES				
HUMIDITY CONTROL				
CORE PROBE				
CORE PROBE NAME PERSONALIZATION				
HACCP DATA STORAGE				
APP AND 7" TOUCH SCREEN				
ADJUSTABLE VENTILATION				
COOK BOOK				
ALLARM ON DISPLAY				
RS 485 DOOR				

CYCLES AND FUNCTIONS

OFFER DIFFERENTIATION

	entry	nortech	 Plus	frame
THAWING				
CABINET DRYING				
PRE-COOLING				
PRE-HEATING				
CORE PROBE CYCLES				
BY TIME CYCLES				
CASCADE CYCLES				
TIMER CYCLES				
DELTA-T CYCLES				
QUICK START				
OZONE SANITATION				

PRODUCTS

CONSTRUCTION FEATURES

	entry	nortech	 Plus	frame
Simple and intuitive display				
AISI 304 stainless steel				
Stainless steel feet adjustable in height				
Multi-level adjustable stainless steel AISI 304 tray holder				
Up to 4 core probe installed on the door				
Internal cell with rounded corners				
Heated door perimeter to avoid frost formation				
Electrical panel with IP68 connectors, removable, easy to inspect				
Fan support easily openable to facilitate cleaning operations				
Condensing unit removable and easily inspectable from back				